



**Glatz AG**

Neuhofstrasse 12  
 CH-8500 Frauenfeld  
 Phone: +41 52 723 64 64  
 Fax +41 52 723 66 39

Project description	Sunshade control 350 01 557010	BMS Project no.	201100354
		drawing number	E110354_1

Type	Light
Year of constuction	2012
Protection class	-
Pre-fuse	10A
Infeed	230VAC+N+PE
Frequency	50 Hz
Supply line	3x 2.5mm <sup>2</sup>
Control voltage	230V AC
short-circuit proof Icp	10kA
Ambient temperature	max. 40°C


Project manager	Nenad Krsmanovic
Edited on	18.04.2013

Number of pages 3

+HS/2

0.3	17.04.2013	NKR	Date	18.04.2013	Sunshade control	Title page/cover sheet	=	+ INFO	Page	1
0.2	23.08.2012	NKR	Edited		350 01 557010					
0.1	25.05.2012	NKR								
Version	Date	Name			Replaced by	Replaced by	Drawing number		Page	3
							E110354_1		Page	3


0 1 2 3 4 5 6 7 8 9




+INFO/1					Infeed		=	
0.3	17.04.2013	NKR	Date	18.04.2013	Sunshade control			
0.2	23.08.2012	NKR	Edited		350 01 557010			+ HS
0.1	25.05.2012	NKR						Page 2
Version	Date	Name			Replaced by	Replaced by		Page 3

2.4 / L1:2B → 230V AC  
 2.7 / N:2A →  
 2.8 / PE:2A →

-4W1  
 Nexans 3x0.75 mm<sup>2</sup>  
 BN BU GNYE



-4W1.1  
 Nexans 3x0.75 mm<sup>2</sup>  
 BN BU GNYE



-4E1  
 Philips Softone  
 20W, E27

-4E3  
 Philips Softone  
 20W, E27

-4E5  
 Philips Softone  
 20W, E27

Lamp 1

Lamp 2

Lamp 3

0.3	17.04.2013	NKR	Date	18.04.2013	Sunshade control	Light	=
0.2	23.08.2012	NKR	Edited		350 01 557010		+ HS
0.1	25.05.2012	NKR					Page 4
Version	Date	Name			Replaced by	Replaced by	Page 3

Drawing number E110354\_1

Reference designation	LUK	Quantity	Unit	Type	Order number	Supplier
<b>Infeed</b>						
-2W1		5	m	Cable, 3x2.5mm <sup>2</sup> , coloured		
-2X1		1	pcs.	Socket, IP68	96.031.4053.0	Wieland
-2X1		1	pcs.	Plug, IP68	96.032.4053.0	Wieland
-2W1.1		5	m	Cable, 3x2.5mm <sup>2</sup> , coloured		
<b>Clamps</b>						
-2X4-L1		2	pcs.	ZDUA clamp, 2 conductors, 2.5mm <sup>2</sup> , beige	1720920000	Weidmüller
-2X4-L2		2	pcs.	ZDUA clamp, 2 conductors, 2.5mm <sup>2</sup> , beige	1720920000	Weidmüller
-2X4-L3		2	pcs.	ZDUA clamp, 2 conductors, 2.5mm <sup>2</sup> , beige	1720920000	Weidmüller
-2X4-N		4	pcs.	ZDUA clamp, 2 conductors, 2.5mm <sup>2</sup> , blue	1720930000	Weidmüller
-2X4-PE		4	pcs.	ZDUA clamp, 2 conductors, 2.5mm <sup>2</sup> , green-yellow	1720950000	Weidmüller
-2X4		1	pcs.	End plate, ZAP/TW ZDUA, beige	1720960000	Weidmüller
-2X4		2	pcs.	End angle, ZEW 15, beige	7920340000	Weidmüller
<b>Light</b>						
-4U1		1	pcs.	Radio-controlled light dimmer	Combio-868 LI-ET	elero
-4E1		1	pcs.	Energy saving lamp, 20W, warm-white, E27, dimmable	Softone	Phillips
-4E1		1	pcs.	Energy saving lamp support, E27 fitting		
-4E3		1	pcs.	Energy saving lamp, 20W, warm-white, E27, dimmable	Softone	Phillips
-4E3		1	pcs.	Energy saving lamp support, E27 fitting		
-4E5		1	pcs.	Energy saving lamp, 20W, warm-white, E27, dimmable	Softone	Phillips
-4E5		1	pcs.	Energy saving lamp support, E27 fitting		