







Assortment

	Order no. Frame white	Order no. Frame anodized natural	Product	Material class 5*
				EUR excl. VAT
	140 00 350 161	140 00 350 171	CASTELLO® M4 Ø 350 without flounce	1 625.–
	140 00 400 161	140 00 400 171	CASTELLO® M4 Ø 400 without flounce	1 729.–
	140 00 450 161	140 00 450 171	CASTELLO® M4 Ø 450 without flounce	1 916.–
	140 00 500 161	140 00 500 171	CASTELLO® M4 Ø 500 without flounce	2 125.–
	140 00 501 161	140 00 501 171	CASTELLO® M4 Ø 500 ⁴ without flounce	2 291.–
	140 00 550 161	140 00 550 171	CASTELLO® M4 Ø 550 ⁴ without flounce	2 541.–
	140 00 600 161	140 00 600 171	CASTELLO® M4 Ø 600 ⁴ without flounce	2 646.–
	140 00 401 161	140 00 401 171	CASTELLO® M4 400 × 300 without flounce	2 083.–
	140 00 451 161	140 00 451 171	CASTELLO® M4 450 × 350 ⁴ without flounce	2 416.–
	140 00 502 161	140 00 502 171	CASTELLO® M4 500 × 400 ⁴ without flounce	2 583.–
	140 00 310 161	140 00 310 171	CASTELLO® M4 300 × 300 without flounce	1 750.–
	140 00 351 161	140 00 351 171	CASTELLO® M4 350 × 350 without flounce	1 979.–
	140 00 402 161	140 00 402 171	CASTELLO® M4 400 × 400 without flounce	2 083.–
	140 00 403 161	140 00 403 171	CASTELLO® M4 400 × 400 ⁴ without flounce	2 250.–
	140 00 452 161	140 00 452 171	CASTELLO® M4 450 × 450 ⁴ without flounce	2 416.–
	140 00 503 161	140 00 503 171	CASTELLO® M4 500 × 500 ⁴ without flounce	2 604.–
	140 00 350 160	140 00 350 170	CASTELLO® M4 Ø 350 with flounce	1 792.–
	140 00 400 160	140 00 400 170	CASTELLO® M4 Ø 400 with flounce	1 896.–
	140 00 450 160	140 00 450 170	CASTELLO® M4 Ø 450 with flounce	2 083.–
	140 00 500 160	140 00 500 170	CASTELLO® M4 Ø 500 with flounce	2 292.–
	140 00 501 160	140 00 501 170	CASTELLO® M4 Ø 500 ⁴ with flounce	2 458.–
	140 00 550 160	140 00 550 170	CASTELLO® M4 Ø 550 ⁴ with flounce	2 708.–
	140 00 600 160	140 00 600 170	CASTELLO® M4 Ø 600 ⁴ with flounce	2 813.–
	140 00 401 160	140 00 401 170	CASTELLO® M4 400 × 300 with flounce	2 250.–
	140 00 451 160	140 00 451 170	CASTELLO® M4 450 × 350 ⁴ with flounce	2 583.–
	140 00 502 160	140 00 502 170	CASTELLO® M4 500 × 400 ⁴ with flounce	2 750.–
	140 00 310 160	140 00 310 170	CASTELLO® M4 300 × 300 with flounce	1 917.–
	140 00 351 160	140 00 351 170	CASTELLO® M4 350 × 350 with flounce	2 146.–
	140 00 402 160	140 00 402 170	CASTELLO® M4 400 × 400 with flounce	2 250.–
	140 00 403 160	140 00 403 170	CASTELLO® M4 400 × 400 ⁴ with flounce	2 417.–
	140 00 452 160	140 00 452 170	CASTELLO® M4 450 × 450 ⁴ with flounce	2 583.–
	140 00 503 160	140 00 503 170	CASTELLO® M4 500 × 500 ⁴ with flounce	2 771.–

⁴reinforced top rods

Accessories

Order no.	Product	EUR excl. VAT	
Fixing option M4/M8/M16 (support tube M4 absolutely necessary)			
350 01 226 945	Base M4/M8/M16, 430 kg/620 kg (8 or 12 concrete elements) 101.2×101.2×22–26/31–35 cm, galvanised steel (price without elements)	500.–	
350 01 226 921	Mounting plate M4/M8, 30×30×1.2 cm, galvanised steel	181.–	
Concrete elements for base M4/M8/M16			
350 01 226 948	Concrete element set, 8 pieces, 48.3×48.3×9.4 cm, (ca. 385 kg), concrete	613.–	
Fixing option M4 (support tube M4 absolutely necessary)			
350 01 108 335	Base M4, 180 kg, (for 12 plates 40×40×4 cm), 91×91×15.5–19.5 cm, galvanised steel (adjustable and levellable) (price without plates)	282.–	
350 01 108 435	Base M4, 240 kg, (for 16 plates 40×40×4 cm), 91×91×19–23 cm, galvanised steel (adjustable and levellable) (price without plates)	332.–	
350 01 100 400	Cover for base M4, 88×88×5 cm, brushed aluminium (imitate)	164.–	
350 01 100 500	Set of castors for base M4 (maximum weight 240 kg), Ø 5 cm, H = 5.5 cm, galvanised steel	75.–	
350 01 226 510	Ground socket M4, galvanised steel	122.–	
350 01 226 932	Mounting plate M4 special, for installation height 50 – 149 mm, galvanised steel	626.–	
350 01 226 930	Mounting plate M4 special, for installation height 150 – 350 mm, galvanised steel	626.–	
350 01 229 730	Mounting plate M4 for isolated grounds, installation height made to measure, high-grade steel 1.4301/304	Price on request	
350 01 227 000	Support tube M4 with hollow profile M4, galvanised steel (with cover, adjustable and revellable)	164.–	
Slabs for base M4			
350 01 226 907	Slab set, 12 pieces, 40×40×4 cm, (ca. 165 kg), concrete	189.–	
350 01 226 906	Slab set, 12 pieces, 40×40×4 cm, (ca. 170 kg), 8 pieces concrete, 4 pieces in granite-look	248.–	
350 01 226 904	Slab set, 16 pieces, 40×40×4 cm, (ca. 220 kg), concrete	248.–	
350 01 226 903	Slab set, 16 pieces, 40×40×4 cm, (ca. 225 kg), 12 pieces concrete, 4 pieces in granite-look	315.–	
Protective cover, coated polyester fabric suitable for shade sizes in cm			
350 01 609 710	Protective cover with zip and rod, 325×75 cm	Ø 350/Ø 400/Ø 450/Ø 500/Ø 550 400×300/450×350/300×300/350×350/400×400	163.–
350 01 609 720	Protective cover with zip and rod, 400×85 cm	Ø 600/500×400/450×450/500×500	189.–
⁵Rain gutter and curtain (suitable only for square and rectangular sunshades)			
350 01 709 310 XXX	Rain gutter conical 300 cm, M4, ⁶ 3/3, incl. fastener set acrylic/PVC	353.–	
350 01 709 312 XXX	Rain gutter conical 350 cm, M4, ⁶ 3/3, incl. fastener set acrylic/PVC	416.–	
350 01 709 314 XXX	Rain gutter conical 400 cm, M4, ⁶ 3/3, incl. fastener set acrylic/PVC	450.–	
350 01 709 316 XXX	Rain gutter conical 450 cm, M4, ⁶ 3/3, incl. fastener set acrylic/PVC	487.–	
350 01 709 318 XXX	Rain gutter conical 500 cm, M4, ⁶ 3/3, incl. fastener set acrylic/PVC	521.–	
350 01 759 410 XXX	Curtain 300×220 cm, M4, ⁶ 3/ incl. fastener set acrylic	357.–	
350 01 759 412 XXX	Curtain 350×220 cm, M4, ⁶ 3/ incl. fastener set acrylic	391.–	
350 01 759 414 XXX	Curtain 400×220 cm, M4, ⁶ 3/ incl. fastener set acrylic	416.–	
350 01 759 416 XXX	Curtain 450×220 cm, M4, ⁶ 3/ incl. fastener set acrylic	450.–	
350 01 759 418 XXX	Curtain 500×220 cm, M4, ⁶ 3/ incl. fastener set acrylic	500.–	

¹ while stocks last

⁵ fabric colour must be indicated

⁶ Number of fixation points (struts). For rain gutter left / right in drain direction.

¹³ Certain shade sizes require the removal of the impact protection before closing the shade. See slider distance table (D).

Accessories

Order no.	Product	EUR excl. VAT
Lighting and heating (electric kit absolutely necessary)		
350 01 557 612	Lighting CASTELLO® M4 C408, 230 V, 2 × 11 W	584.–
350 01 570 300	Radiant heater (infrared radiator), polished aluminium, 1500 W, 230 V, 6.5 A (incl. cable, max. 4 radiant heaters mountable per sunshade) (price for 1 radiant heater)	248.–
350 01 555 110	Electric kit C408, 400 V (3 PNE), 13 A, wire (7 × 1.5 mm ²) with electric box (for lighting and/or heating) (plug with linking device absolutely necessary)	181.–
350 01 555 220	Plug with coupling for electronic kit, 430VAC, 32A, IP68,6+PE, incl. screw terminals	80.–
Miscellaneous items		
350 01 901 816	High-grade steel kit white (hinge set, 8 parts, lock) for use in corrosive environment	122.–
350 01 901 817	High-grade steel kit grey (hinge set, 8 parts, lock) for use in corrosive environment	122.–
350 01 906 100	¹³ Impact protection for shade pole, grey, detachable, H = 85 cm	231.–
350 01 909 000	¹ Base transporter for sockets weighing 120 kg, 180 kg, 240 kg, 430 kg and 620 kg	668.–

¹ while stocks last

⁵ fabric colour must be indicated

⁶ Number of fixation points (struts). For rain gutter left / right in drain direction.

¹³ Certain shade sizes require the removal of the impact protection before closing the shade. See slider distance table (D).