

## Assortment

	Order no. with crank	Order no. with motor	Product	Material class 5*		Motorisation surcharge	
				EUR excl. VAT	EUR excl. VAT	EUR excl. VAT	EUR excl. VAT
○	330 00 450 171	331 00 450 171	PALAZZO® Noblesse / E Ø 450	without flounce	2 791.–	829.–	
	330 00 500 171	331 00 500 171	PALAZZO® Noblesse / E Ø 500	without flounce	2 896.–	829.–	
	330 00 600 171	331 00 600 171	PALAZZO® Noblesse / E Ø 600	without flounce	3 458.–	829.–	
	330 00 700 171	331 00 700 171	PALAZZO® Noblesse / E Ø 700	without flounce	4 375.–	829.–	
□	330 00 451 171	331 00 451 171	PALAZZO® Noblesse / E 450 × 350	without flounce	3 125.–	829.–	
	330 00 502 171	331 00 502 171	PALAZZO® Noblesse / E 500 × 400	without flounce	3 229.–	829.–	
	330 00 622 171	331 00 622 171	PALAZZO® Noblesse / E 600 × 400	without flounce	4 000.–	829.–	
	330 00 623 171	331 00 623 171	PALAZZO® Noblesse / E 600 × 500	without flounce	4 375.–	829.–	
□	330 00 402 171	331 00 402 171	PALAZZO® Noblesse / E 400 × 400	without flounce	2 979.–	829.–	
	330 00 452 171	331 00 452 171	PALAZZO® Noblesse / E 450 × 450	without flounce	3 271.–	829.–	
	330 00 503 171	331 00 503 171	PALAZZO® Noblesse / E 500 × 500	without flounce	3 458.–	829.–	
	330 00 514 171	331 00 514 171	PALAZZO® Noblesse / E 500 × 500	without flounce	3 937.–	829.–	
	330 00 551 171	331 00 551 171	PALAZZO® Noblesse / E 550 × 550	without flounce	4 500.–	829.–	
	330 00 602 171	331 00 602 171	PALAZZO® Noblesse / E 600 × 600	without flounce	4 958.–	829.–	
○	330 00 450 170	331 00 450 170	PALAZZO® Noblesse / E Ø 450	with flounce	2 958.–	829.–	
	330 00 500 170	331 00 500 170	PALAZZO® Noblesse / E Ø 500	with flounce	3 063.–	829.–	
	330 00 600 170	331 00 600 170	PALAZZO® Noblesse / E Ø 600	with flounce	3 625.–	829.–	
	330 00 700 170	331 00 700 170	PALAZZO® Noblesse / E Ø 700	with flounce	4 542.–	829.–	
□	330 00 451 170	331 00 451 170	PALAZZO® Noblesse / E 450 × 350	with flounce	3 292.–	829.–	
	330 00 502 170	331 00 502 170	PALAZZO® Noblesse / E 500 × 400	with flounce	3 396.–	829.–	
	330 00 622 170	331 00 622 170	PALAZZO® Noblesse / E 600 × 400	with flounce	4 167.–	829.–	
	330 00 623 170	331 00 623 170	PALAZZO® Noblesse / E 600 × 500	with flounce	4 542.–	829.–	
□	330 00 402 170	331 00 402 170	PALAZZO® Noblesse / E 400 × 400	with flounce	3 146.–	829.–	
	330 00 452 170	331 00 452 170	PALAZZO® Noblesse / E 450 × 450	with flounce	3 438.–	829.–	
	330 00 503 170	331 00 503 170	PALAZZO® Noblesse / E 500 × 500	with flounce	3 625.–	829.–	
	330 00 514 170	331 00 514 170	PALAZZO® Noblesse / E 500 × 500	with flounce	4 104.–	829.–	
	330 00 551 170	331 00 551 170	PALAZZO® Noblesse / E 550 × 550	with flounce	4 667.–	829.–	
	330 00 602 170	331 00 602 170	PALAZZO® Noblesse / E 600 × 600	with flounce	5 125.–	829.–	

\*Please ask your distribution partner about the GLATZ material collection.

## Accessories

Order no.	Product	EUR excl. VAT	
<b>Fixing option M4/M8/M16</b> (Support tube or Tip-over hinge absolutely necessary)			
350 01 226 945	Base M4/M8/M16, 430 kg/620 kg (8 or 12 concrete elements) 101.2×101.2×22–26/31–35 cm, galvanised steel (price without elements)	500.–	
350 01 226 921	Mounting plate M4/M8, 30×30×1.5 cm, galvanised steel	181.–	
<b>Fixing option M4</b> (support tube M4 absolutely necessary)			
350 01 108 435	Base M4, 240 kg, (for 16 plates 40×40×4 cm), 91×91×19–23 cm, zinc-plated steel (adjustable and levellable) (price without plates)	332.–	
350 01 100 400	Cover for base M4, 88×88×5 cm, brushed aluminium (imitate)	164.–	
350 01 100 500	Set of castors for base M4 (maximum weight 240 kg), Ø 5 cm, H = 5.5 cm, galvanised steel	75.–	
350 01 226 510	Ground socket M4, galvanised steel	122.–	
350 01 226 932	Mounting plate M4 special, for installation height 50–149 mm, galvanised steel	626.–	
350 01 226 930	Mounting plate M4 special, for installation height 150–350 mm, galvanised steel	626.–	
350 01 229 730	Mounting plate M4 for isolated grounds, installation height made to measure, high-grade steel 1.4301/304	Price on request	
350 01 227 040	Support tube M4 with profile PzS/PzN, galvanised steel (with cover, adjustable and revellable)	197.–	
<b>Fixing option M8</b> (tip-over hinge M8 absolutely necessary)			
350 01 226 000	Ground socket M8, galvanised steel	239.–	
350 01 229 707	Special mounting plate, M8, for heights of 50 – 149 mm, galvanised steel	668.–	
350 01 229 705	Special mounting plate, M8, for heights of 150 – 350 mm, galvanised steel	668.–	
350 01 229 732	Mounting plate, M8, for insulated base, height to order, high-grade steel 1.4301/304	Price on request	
350 01 225 040	Tip-over hinge M8 with profile PzS/PzN, galvanised steel (adjustable and revellable)	290.–	
<b>Concrete elements for base M4/M8/M16</b>			
350 01 226 948	Concrete element set, 8 pieces, 48.3×48.3×9.4 cm, (ca. 385 kg), concrete	613.–	
350 01 226 946	Concrete element set, 12 pieces, 49×49×9.4 cm, (ca. 570 kg), concrete	920.–	
<b>Slabs for base M4</b>			
350 01 226 904	Slab set, 16 pieces, 40×40×4 cm, (ca. 220 kg), concrete	248.–	
350 01 226 903	Slab set, 16 pieces, 40×40×4 cm, (ca. 225 kg), 12 pieces concrete, 4 pieces in granite-look	315.–	
<b>Protective cover, coated polyester fabric</b>			
	<b>suitable for shade sizes in cm</b>		
350 01 609 811	Protective cover with zip and rod, 325×90 cm	Ø 450 / Ø 500	164.–
350 01 609 821	Protective cover with zip and rod, 400×100 cm	Ø 600 / Ø 700	248.–
350 01 609 831	Protective cover with zip and rod, 480×110 cm	450×350/500×400/400×400/450×450/500×500/600×400 600×500/550×550/600×600	290.–
<b>§ Rain gutter and curtain</b> (suitable only for square and rectangular sunshades)			
350 01 709 332 XXX	Rain gutter conical 350 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	492.–	
350 01 709 334 XXX	Rain gutter conical 400 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	559.–	
350 01 709 336 XXX	Rain gutter conical 450 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	584.–	
350 01 709 338 XXX	Rain gutter conical 500 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	630.–	
350 01 709 340 XXX	Rain gutter conical 500 cm, PzNS, §4/4, incl. fastener set acrylic/PVC	630.–	
350 01 709 342 XXX	Rain gutter conical 500 cm, PzNS, §3/4, incl. fastener set acrylic/PVC	630.–	
350 01 709 344 XXX	Rain gutter conical 500 cm, PzNS, §4/3, incl. fastener set acrylic/PVC	630.–	
350 01 709 348 XXX	Rain gutter conical 550 cm, PzNS, §4/4, incl. fastener set acrylic/PVC	723.–	
350 01 709 350 XXX	Rain gutter conical 600 cm, PzNS, §4/4, incl. fastener set acrylic/PVC	752.–	
350 01 759 450 XXX	Curtain 350×230 cm, PzN, §3/ incl. fastener set acrylic	416.–	
350 01 759 452 XXX	Curtain 400×230 cm, PzN, §3/ incl. fastener set acrylic	471.–	
350 01 759 454 XXX	Curtain 450×230 cm, PzN, §3/ incl. fastener set acrylic	500.–	
350 01 759 456 XXX	Curtain 500×230 cm, PzN, §3/ incl. fastener set acrylic	542.–	
350 01 759 458 XXX	Curtain 500×230 cm, PzN, §4/ incl. fastener set acrylic	542.–	
350 01 759 460 XXX	Curtain 550×230 cm, PzN, §4/ incl. fastener set acrylic	584.–	
350 01 759 462 XXX	Curtain 600×230 cm, PzN, §4/ incl. fastener set acrylic	626.–	

§ fabric colour must be indicated

§ Number of fixation points (struts). For rain gutter left / right in drain direction.

## Accessories

Order no.	Product	EUR excl. VAT
<b>Accessories PALAZZO® Noblesse with crank</b> (accessories absolutely necessary)		
350 01 559 010	Control Pz14 for LED, 1 × 230 V, 10 A (remote control with 3- or 7-channels absolutely necessary)	815.–
350 01 559 020	Control Pz14 for heating, 3 × 400 V, 16 A (remote control with 3- or 7-channels absolutely necessary)	752.–
350 01 559 030	Control Pz14 for LED and heater, 3 × 400 V, 16 A (7-channel remote control absolutely necessary)	1 172.–
350 01 559 035	Control Pz14 for LED and heater, 1 × 230 V, 16 A max. 2 radiant heaters 1500 W or 20 A max. 4 radiant heaters 1000 W (7-channel remote control absolutely necessary)	1 172.–
<b>Accessories PALAZZO® Noblesse with motor</b>		
350 01 559 100	Control Pz14 for motor, 1 × 230 V, 10 A (3-channel remote control absolutely necessary)	450.–
350 01 559 110	Control Pz14 for LED and motor, 1 × 230 V, 10 A (7-channel remote control absolutely necessary)	962.–
350 01 559 120	Control Pz14 for heating and motor, 3 × 400 V, 16 A (7-channel remote control absolutely necessary)	895.–
350 01 559 130	Control Pz14 for LED, heater and motor, 3 × 400 V, 16 A (7-channel remote control absolutely necessary)	1 340.–
<b>Options for LED-lighting</b> (4 strips 920 mm white are included with all controls Pz14 with LED)		
350 01 559 560	LED-strips warm white long, 4 × 1480 mm (only for Ø700, 600 × 500, 500 × 500, 550 × 550, 600 × 600)	80.–
350 01 559 561	RGBW LED-strips 4 × 920 mm (remote control with 42 channels absolutely necessary)	290.–
350 01 559 562	RGBW LED-strips 4 × 1480 mm (remote control with 42 channels absolutely necessary) (only for Ø700, 600 × 500, 500 × 500, 550 × 550, 600 × 600)	374.–
350 01 559 559	LED-strips mounted on top of the rods (indirect lighting)	0.–
<b>Electrical accessories</b>		
350 01 555 270	Remote control, for wall installation, IP20, 3-channel, white	113.–
350 01 555 280	Remote control, for wall installation, IP20, 7-channel, white	164.–
350 01 555 290	Remote control, incl. wall bracket, IP20, 7-channel, black	164.–
350 01 555 300	Remote control, incl. wall bracket, IP20, 42-channel, black	164.–
350 01 570 320	Radiant heater (infrared heater) for Pz14 controls, polished aluminium, 1500 W, 230 V, 6.5 A, (incl. cable, max. of 4 radiant heater per sunshade), (price given for one radiant heater)	248.–
<b>Miscellaneous items</b>		
350 01 900 832	High-grade steel kit (axis mounting and hinge set, 8 parts, lock) for use in corrosive environment	248.–
350 01 901 032	High-grade steel kit (axis mounting and hinge set, 10 parts, lock) for use in corrosive environment	290.–
350 01 901 232	High-grade steel kit (axis mounting and hinge set, 12 parts, lock) for use in corrosive environment	332.–
350 01 900 300	<sup>14</sup> Strap system, PzN 350 × 300, 400 × 300, 450 × 350, 500 × 400, 350 × 350, 400 × 400, 450 × 450, Ø 450, Ø 500	125.–
350 01 900 310	<sup>14</sup> Strap system, PzN 600 × 400, 600 × 500, 500 × 500, 550 × 550, 600 × 600, Ø 700	125.–
350 01 906 200	<sup>13</sup> Impact protection for shade pole, grey, detachable, H = 85 cm	239.–
350 01 909 000	<sup>1</sup> Base transporter for sockets weighing 120 kg, 180 kg, 240 kg, 430 kg and 620 kg	668.–

<sup>1</sup> while stocks last

<sup>13</sup> Certain shade sizes require the removal of the impact protection before closing the shade. See closing height table (E)

<sup>14</sup> Only available in conjunction with a new sunshade or a new cover.