

## Assortment

	Order no. with crank	Order no. with motor	Product			Material class 5*	Motorisation surcharge
						USD excl. VAT	USD excl. VAT
○	230 00 350 171	231 00 350 171	PALAZZO® Style / E	Ø 350	without flounce	2 324.–	990.–
	230 00 400 171	231 00 400 171	PALAZZO® Style / E	Ø 400	without flounce	2 544.–	990.–
	230 00 450 171	231 00 450 171	PALAZZO® Style / E	Ø 450	without flounce	2 812.–	990.–
	230 00 500 171	231 00 500 171	PALAZZO® Style / E	Ø 500	without flounce	3 104.–	990.–
	230 00 600 171	231 00 600 171	PALAZZO® Style / E	Ø 600	without flounce	3 714.–	990.–
□	230 00 352 171	231 00 352 171	PALAZZO® Style / E	350 × 300	without flounce	2 714.–	990.–
	230 00 353 171	231 00 353 171	PALAZZO® Style / E	350 × 300	without flounce	2 958.–	990.–
	230 00 402 171	231 00 402 171	PALAZZO® Style / E	400 × 300	without flounce	2 885.–	990.–
	230 00 403 171	231 00 403 171	PALAZZO® Style / E	400 × 300	without flounce	3 056.–	990.–
	230 00 452 171	231 00 452 171	PALAZZO® Style / E	450 × 350	without flounce	3 494.–	990.–
	230 00 502 171	231 00 502 171	PALAZZO® Style / E	500 × 400	without flounce	3 689.–	990.–
	230 00 552 171	231 00 552 171	PALAZZO® Style / E	550 × 450	without flounce	3 884.–	990.–
□	230 00 301 171	231 00 301 171	PALAZZO® Style / E	300 × 300	without flounce	2 446.–	990.–
	230 00 302 171	231 00 302 171	PALAZZO® Style / E	300 × 300	without flounce	2 666.–	990.–
	230 00 351 171	231 00 351 171	PALAZZO® Style / E	350 × 350	without flounce	2 861.–	990.–
	230 00 401 171	231 00 401 171	PALAZZO® Style / E	400 × 400	without flounce	3 202.–	990.–
	230 00 451 171	231 00 451 171	PALAZZO® Style / E	450 × 450	without flounce	3 470.–	990.–
	230 00 501 171	231 00 501 171	PALAZZO® Style / E	500 × 500	without flounce	3 665.–	990.–
○	230 00 350 170	231 00 350 170	PALAZZO® Style / E	Ø 350	with flounce	2 510.–	990.–
	230 00 400 170	231 00 400 170	PALAZZO® Style / E	Ø 400	with flounce	2 730.–	990.–
	230 00 450 170	231 00 450 170	PALAZZO® Style / E	Ø 450	with flounce	2 998.–	990.–
	230 00 500 170	231 00 500 170	PALAZZO® Style / E	Ø 500	with flounce	3 290.–	990.–
	230 00 600 170	231 00 600 170	PALAZZO® Style / E	Ø 600	with flounce	3 900.–	990.–
□	230 00 352 170	231 00 352 170	PALAZZO® Style / E	350 × 300	with flounce	2 900.–	990.–
	230 00 353 170	231 00 353 170	PALAZZO® Style / E	350 × 300	with flounce	3 144.–	990.–
	230 00 402 170	231 00 402 170	PALAZZO® Style / E	400 × 300	with flounce	3 071.–	990.–
	230 00 403 170	231 00 403 170	PALAZZO® Style / E	400 × 300	with flounce	3 242.–	990.–
	230 00 452 170	231 00 452 170	PALAZZO® Style / E	450 × 350	with flounce	3 680.–	990.–
	230 00 502 170	231 00 502 170	PALAZZO® Style / E	500 × 400	with flounce	3 875.–	990.–
	230 00 552 170	231 00 552 170	PALAZZO® Style / E	550 × 450	with flounce	4 070.–	990.–
□	230 00 301 170	231 00 301 170	PALAZZO® Style / E	300 × 300	with flounce	2 632.–	990.–
	230 00 302 170	231 00 302 170	PALAZZO® Style / E	300 × 300	with flounce	2 852.–	990.–
	230 00 351 170	231 00 351 170	PALAZZO® Style / E	350 × 350	with flounce	3 047.–	990.–
	230 00 401 170	231 00 401 170	PALAZZO® Style / E	400 × 400	with flounce	3 388.–	990.–
	230 00 451 170	231 00 451 170	PALAZZO® Style / E	450 × 450	with flounce	3 656.–	990.–
	230 00 501 170	231 00 501 170	PALAZZO® Style / E	500 × 500	with flounce	3 851.–	990.–

\*Please ask your distribution partner about the GLATZ material collection.

## Accessories

Order no.	Product	USD excl. VAT	
<b>Fixing option M4/M8/M16</b> (support tube M4 or put-up hinge M8 absolutely necessary)			
350 01 226 945	Base M4/M8/M16, 430 kg / 620 kg (8 or 12 concrete elements) 101.2 × 101.2 × 22–26/31–35 cm, galvanised steel (price without elements)	599.–	
350 01 226 921	Mounting plate M4/M8, 30 × 30 × 1.5 cm, galvanised steel	219.–	
<b>Fixing option M4</b> (support tube M4 absolutely necessary)			
350 01 108 335	Base M4, 180 kg, (for 12 plates 40 × 40 × 4 cm), 91 × 91 × 15.5–19.5 cm, galvanised steel (adjustable and levellable) (price without plates)	336.–	
350 01 108 435	Base M4, 240 kg, (for 16 plates 40 × 40 × 4 cm), 91 × 91 × 19–23 cm, galvanised steel (adjustable and levellable) (price without plates)	405.–	
350 01 100 400	Cover for base M4, 88 × 88 × 5 cm, brushed aluminium (imitate)	190.–	
350 01 100 500	Set of castors for base M4 (maximum weight 240 kg), Ø 5 cm, H = 5.5 cm, galvanised steel	93.–	
350 01 226 510	Ground socket M4, galvanised steel	145.–	
350 01 226 932	Mounting plate M4 special, for installation height 50–149 mm, galvanised steel	775.–	
350 01 226 930	Mounting plate M4 special, for installation height 150–350 mm, galvanised steel	775.–	
350 01 229 730	Mounting plate M4 for isolated grounds, installation height made to measure, high-grade steel 1.4301/304	Price on request	
350 01 227 040	Support tube M4 with profile PzS/PzN, galvanised steel (with cover, adjustable and revellable)	239.–	
<b>Fixing option M8</b> (tip-over hinge M8 absolutely necessary)			
350 01 226 000	Ground socket M8, galvanised steel	288.–	
350 01 229 707	Special mounting plate, M8, for heights of 50 – 149 mm, galvanised steel	804.–	
350 01 229 705	Special mounting plate, M8, for heights of 150 – 350 mm, galvanised steel	804.–	
350 01 229 732	Mounting plate, M8, for insulated base, height to order, high-grade steel 1.4301/304	Price on request	
350 01 225 040	Tip-over hinge M8 with profile PzS/PzN, galvanised steel (adjustable and revellable)	346.–	
<b>Concrete elements for base M4/M8/M16</b>			
350 01 226 948	Concrete element set, 8 pieces, 48.3 × 48.3 × 9.4 cm, (ca. 385 kg), concrete	746.–	
<b>Slabs for base M4</b>			
350 01 226 907	Slab set, 12 pieces, 40 × 40 × 4 cm, (ca. 165 kg), concrete	219.–	
350 01 226 906	Slab set, 12 pieces, 40 × 40 × 4 cm, (ca. 170 kg), 8 pieces concrete, 4 pieces in granite-look	307.–	
350 01 226 904	Slab set, 16 pieces, 40 × 40 × 4 cm, (ca. 220 kg), concrete	307.–	
350 01 226 903	Slab set, 16 pieces, 40 × 40 × 4 cm, (ca. 225 kg), 12 pieces concrete, 4 pieces in granite-look	375.–	
<b>Protective cover, coated polyester fabric</b>			
	<b>suitable for shade sizes in cm</b>		
350 01 609 811	Protective cover with zip and rod, 325 × 90 cm	Ø 350 / Ø 400 / Ø 450 / Ø 500 / 350 × 300 / 400 × 300 / 300 × 300 / 350 × 350	194.–
350 01 609 821	Protective cover with zip and rod, 400 × 100 cm	Ø 600 / 450 × 350 / 500 × 400 / 550 × 450 / 400 × 400 / 450 × 450 / 500 × 500	292.–
<b>§ Rain gutter and curtain</b> (suitable only for square and rectangular sunshades)			
350 01 709 330 XXX	Rain gutter conical 300 cm, PzNS, §2/2, incl. fastener set acrylic/PVC	551.–	
350 01 709 331 XXX	Rain gutter conical 300 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	531.–	
350 01 709 332 XXX	Rain gutter conical 350 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	600.–	
350 01 709 334 XXX	Rain gutter conical 400 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	678.–	
350 01 709 336 XXX	Rain gutter conical 450 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	697.–	
350 01 709 338 XXX	Rain gutter conical 500 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	775.–	
350 01 709 346 XXX	Rain gutter conical 550 cm, PzNS, §3/3, incl. fastener set acrylic/PVC	848.–	
350 01 759 430 XXX	Curtain 300 × 220 cm, PzS, §2/ incl. fastener set acrylic	478.–	
350 01 759 431 XXX	Curtain 300 × 220 cm, PzS, §3/ incl. fastener set acrylic	478.–	
350 01 759 432 XXX	Curtain 350 × 220 cm, PzS, §3/ incl. fastener set acrylic	526.–	
350 01 759 434 XXX	Curtain 400 × 220 cm, PzS, §3/ incl. fastener set acrylic	575.–	
350 01 759 436 XXX	Curtain 450 × 220 cm, PzS, §3/ incl. fastener set acrylic	629.–	
350 01 759 438 XXX	Curtain 500 × 220 cm, PzS, §3/ incl. fastener set acrylic	678.–	
350 01 759 440 XXX	Curtain 550 × 220 cm, PzS, §3/ incl. fastener set acrylic	697.–	

§ fabric colour must be indicated

¶ Number of fixation points (struts). For rain gutter left / right in drain direction.

## Accessories

Order no.	Product	USD excl. VAT
<b>Accessories PALAZZO® Style with crank (accessories absolutely necessary)</b>		
350 01 559 010	Control Pz14 for LED, 1×230 V, 10 A (remote control with 3- or 7-channels absolutely necessary)	999.–
350 01 559 020	Control Pz14 for heating, 3×400 V, 16 A (remote control with 3- or 7-channels absolutely necessary)	931.–
350 01 559 030	Control Pz14 for LED and heater, 3×400 V, 16 A (7-channel remote control absolutely necessary)	1 448.–
350 01 559 035	Control Pz14 for LED and heater, 1×230 V, 16 A max. 2 radiant heaters 1500 W or 20 A max. 4 radiant heaters 1000 W (7-channel remote control absolutely necessary)	1 448.–
<b>Accessories PALAZZO® Style E with motor</b>		
350 01 559 100	Control Pz14 for motor, 1×230 V, 10 A (3-channel remote control absolutely necessary)	551.–
350 01 559 110	Control Pz14 for LED and motor, 1×230 V, 10 A (7-channel remote control absolutely necessary)	1 185.–
350 01 559 120	Control Pz14 for heating and motor, 3×400 V, 16 A (7-channel remote control absolutely necessary)	1 097.–
350 01 559 130	Control Pz14 for LED, heater and motor, 3×400 V, 16 A (7channel remote control absolutely necessary)	1 653.–
<b>Options for LED-lighting (4 strips 920 mm white are included with all controls Pz14 with LED)</b>		
350 01 559 560	LED-strips warm white long, 4×1480 mm (only for 550×450 and 500×500)	97.–
350 01 559 561	RGBW LED-strips 4×920 mm (remote control with 42 channels absolutely necessary)	385.–
350 01 559 562	RGBW LED-strips 4×1480 mm (remote control with 42 channels absolutely necessary) (only for 550×450 and 500×500)	483.–
350 01 559 559	LED-strips mounted on top of the rods (indirect lighting)	0.–
<b>Electrical accessoires</b>		
350 01 555 270	Remote control, for wall installation, IP20, 3-channel, white	132.–
350 01 555 280	Remote control, for wall installation, IP20, 7-channel, white	190.–
350 01 555 290	Remote control, incl. wall bracket, IP20, 7-channel, black	190.–
350 01 555 300	Remote control, incl. wall bracket, IP20, 42-channel, black	190.–
350 01 570 320	Radiant heater (infrared heater) for Pz14 controls, polished aluminium, 1500 W, 230 V, 6.5 A, (incl. cable, max. of 4 radiant heater per sunshade), (price given for one radiant heater)	288.–
<b>Miscellaneous items</b>		
350 01 900 432	High-grade steel kit (axis mounting and hinge set, 4 parts, lock) for use in corrosive environment	210.–
350 01 900 632	High-grade steel kit (axis mounting and hinge set, 6 parts, lock) for use in corrosive environment	249.–
350 01 900 832	High-grade steel kit (axis mounting and hinge set, 8 parts, lock) for use in corrosive environment	307.–
350 01 900 340	<sup>14</sup> Strap system, PzS 300×300, Ø 350, Ø 400	145.–
350 01 900 300	<sup>14</sup> Strap system, PzS 350×300, 400×300, 450×350, 500×400, 350×350, 400×400, 450×450, Ø 450, Ø 500	145.–
350 01 900 310	<sup>14</sup> Strap system, PzS 600×400, 600×500, 500×500, 550×550, 600×600, Ø 700	145.–
350 01 906 200	<sup>13</sup> Impact protection for shade pole, grey, detachable, H = 85 cm	278.–
350 01 909 000	<sup>1</sup> Base transporter for sockets weighing 120 kg, 180 kg, 240 kg, 430 kg and 620 kg	775.–

<sup>1</sup> while stocks last

<sup>13</sup> Certain shade sizes require the removal of the impact protection before closing the shade. See closing height table (E)

<sup>14</sup> Only available in conjunction with a new sunshade or a new cover.